

Annotations for Apple.java

```
1  class Apple {
2      public public String toString() {
3          return "Red";
4      }
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier
  public public String toString() {
    ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

[] Highly confident

Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public public String toString() {  
3         return "Red";  
4     }  
5 }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
      ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public public String toString() {  
3         return "Red";  
4     }  
5 }
```

Two modifiers are not
legal in Java programming

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {
2      public public String toString() {
3          return "Red";
4      }
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier
    public public String toString() {
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1 class Apple {
2     public public String toString() {
3         repeat
4         return "Red";
5     }
6 }
```

Compiler Output

```
Apple.java:2: error: repeated modifier
public public String toString() {
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure
2. How confident are you about the accuracy of your explanation for this error message?
 Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public public String toString() {  
3         return "Red";  
4     }  
5 }
```

Too many variable modifiers
Out

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

[] Highly confident

Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public already used public String toString() {  
3         return "Red";  
4     }  
5 }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {
2      public public String toString() {
3          return "Red";
4      }
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier
  public public String toString() {
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public public String toString() {  
3         return "Red";  
4     }  
5 }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
    ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

Moderately confident

[] Highly confident

[] Completely confident

Annotations for Apple.java

```
1 class Apple {  
2     public public String toString() {  
3         return "Red";  
4     }  
5 }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
      ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
      ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

extra you only need one

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
    repeated used for  
2  public public String toString() {  
3      return "Red";  
4  }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
    ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
        ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident
[] Somewhat confident
[] Moderately confident
[] Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
  ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
      ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
public public String toString() {  
    ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- [] Not at all confident
[] Somewhat confident
[] Moderately confident
[] Highly confident
[] Completely confident

Annotations for Apple.java

```
1  class Apple {  
2      public public String toString() {  
3          return "Red";  
4      }  
5  }
```

Compiler Output

```
Apple.java:2: error: repeated modifier  
    public public String toString() {  
      ^
```

1 error

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident