

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Participant ID: P138

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire


1. Have you ever encountered this error message before?
 Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
- Somewhat confident
- Moderately confident
- Highly confident
- Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13             }
14             catch (FileNotFoundException fnf) { }
15             catch (EOFException eof) { }
16             catch (IOException ex) { }
17         }
18     }
```



Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident


Moderately confident

[] Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```



Participant ID: P160

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident


Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Hand-drawn arrows pointing from the catch blocks to the try block. One arrow points from the first catch block (FileNotFoundException) to the try block. Another arrow points from the second catch block (EOFException) to the try block. A third arrow points from the third catch block (IOException) to the try block.

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Participant ID: P219

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Hand-drawn annotations on the code:

- Blue box around `FileNotFoundException()` on line 8.
- Green box around `EOFException()` on line 11.
- Blue box around `FileNotFoundException fnf)` on line 14.
- Green box around `EOFException eof)` on line 15.
- Red box around `IOException ex)` on line 16.
- Blue arrow pointing from line 8 to line 14.
- Green arrow pointing from line 11 to line 15.
- Red arrow pointing to line 16.

Participant ID: P312

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
- Somewhat confident
- Moderately confident
- Highly confident
- Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Only two thrown (with arrows pointing to lines 14 and 15)

Never thrown (with arrow pointing to line 16)

Always caught before can be reached (with arrow pointing to line 16)

Participant ID: P342

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
- Somewhat confident
- Moderately confident
- Highly confident
- Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { } never used/not needed/never reached
17     }
18 }
```

Participant ID: P349

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Participant ID: P410

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Participant ID: P469

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException(); /
9              }
10             Take IOException
11             else {
12                 throw new EOFException(); 2
13             }
14         }
15         / catch(FileNotFoundException fnf) { }
16         2 catch(EOFException eof) { }
17         3 catch(IOException ex) { }
18     }
```

Participant ID: P505

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17         }
18     }
```

No IOException thrown in [try {}]

Participant ID: P521

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException, EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14
15         catch(FileNotFoundException fnf) { }
16         catch(EOFException eof) { }
17         catch(IOException ex) { }
18     }
```

Participant ID: P665

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
^
  thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Both are types of IO

never reached

Participant ID: P691

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
^
  thrown types FileNotFoundException, EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure
2. How confident are you about the accuracy of your explanation for this error message?
 Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { } never thrown
17     }
18 }
```

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident


Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```



Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

not thrown anywhere

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         → catch(EOFException eof) { }
16         → catch(IOException ex) { }
17     }
18 }
```

Participant ID: P804

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

- Not at all confident
- Somewhat confident
- Moderately confident
- Highly confident
- Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

throwing

throw

Catch

** doesn't have a throw clause*

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure
2. How confident are you about the accuracy of your explanation for this error message?
 Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

catch(IOException ex) { } UNREACHABLE

Participant ID: P833

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident


[] Moderately confident

[] Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```



Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else { unreachable code
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { } → extended by
17     } ↓ FNFE or EOF
18 }
```

Participant ID: P888

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes [] No [] Unsure

2. How confident are you about the accuracy of your explanation for this error message?

[] Not at all confident

[] Somewhat confident

[] Moderately confident

Highly confident

[] Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

The image shows a Java code snippet with several annotations. Hand-drawn orange arrows point from the `throw new FileNotFoundException();` line (line 8) to the `catch(FileNotFoundException fnf) { }` line (line 14) and from the `throw new EOFException();` line (line 11) to the `catch(EOFException eof) { }` line (line 15). A red question mark is drawn below the `catch(IOException ex) { }` line (line 16).

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
   thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }
17     }
18 }
```

Participant ID: P949

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
```

```
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?

Yes No Unsure

2. How confident are you about the accuracy of your explanation for this error message?

Not at all confident

Somewhat confident

Moderately confident

Highly confident

Completely confident

Annotations for Trumpet.java

```
1  import java.io.*;
2
3  class Trumpet {
4
5      void play() {
6          try {
7              if (true) {
8                  throw new FileNotFoundException();
9              }
10             else {
11                 throw new EOFException();
12             }
13         }
14         catch(FileNotFoundException fnf) { }
15         catch(EOFException eof) { }
16         catch(IOException ex) { }  (!) unreachable catch block
17     }
18 }
```

Participant ID:

P995

Compiler Output

```
Trumpet.java:16: warning: unreachable catch clause
    catch(IOException ex) { }
    ^
    thrown types FileNotFoundException,EOFException have already been caught
1 warning
```

Questionnaire

1. Have you ever encountered this error message before?
 Yes No Unsure
2. How confident are you about the accuracy of your explanation for this error message?
 Not at all confident
 Somewhat confident
 Moderately confident
 Highly confident
 Completely confident